

Choose the
FORMAT
that fits you best



COFFEE FORMAT®

Choose the **FORMAT** that fits you best

Coffee is more than just a drink – for many of us, it's a favorite ritual that sets the rhythm of the day.

It's essential that every cup delights with full flavour and aroma. We understand this well, which is why Coffee Format machines serve coffee specialties at a standard that impresses even true connoisseurs.

Designed by professionals, our devices and accessories, along with dedicated cleaning products, ensure that our customers enjoy top-quality coffee creations: from espresso to latte with delicious milk foam.

With us, everyone can find the FORMAT that fits them best.





Table of Contents

Introduction	02
Table of Contents	03
OCS	04
MINI	06
NOVA	08
SEED L	10
BLOOM	12
FIT	14
ATLAS	16
BREAK	18
DUKE	20
HORECA	22
DEMY	24
ZONE	26
GROW	28
DOUBLE	30
Accessories	32
Coffee Mugs	39
Cleaning Agents	41
FORMAT comparison	44
Contact	46

OCS



OCS

Intended use: home, office, small gastronomy, hotel

MINI



MINI



MINI STEAM



NOVA



NOVA 4L



NOVA W4L



SEED L



SEED



BLOOM



BLOOM



FIT



FIT W4L



FIT4L



ATLAS



ATLAS W2L



ATLAS W8L




BREAK



BREAK S W2L



BREAK S W8L



DUKE



DUKE W2L



DUKE W8L



Format MINI



20 cups

Recommended maximum daily output

FEATURED



1 x pump



Electrovalves



4 MyCoffee Profiles



1 x thermoblock



Compact size

INTENDED USE

home, small office

VERSIONS



MINI



MINI STEAM



BROWN



WHITE

A coffee machine for home and small offices should serve your favorite coffee specialties without complicated setup while still offering full control over taste customization. **Format MINI** features an intuitive touchscreen with classic coffee drinks and Cold Brew options ready to enjoy from the very first use. You can also adjust recipes, increase coffee strength, and save your preferences in your personal user profile. Name your profile, add a photo, and enjoy your favorite coffee every day - exactly the way you like it.

CONFIGURATION

WATER CIRCULATION

Water tank capacity	1,4 l
Drip tray capacity	800 ml

BREWING/INSTANT

Grinder	1 × ceramic grinder
Brewer	7–16 g
Bean hopper capacity	150 g
Grounds container capacity	10 portions (at 10 g per portion)

FEATURED

Heating system	1 × thermoblock
Water distribution	solenoid valves
Number of pumps	1

FUNCTIONS


Milk frothing wand (STEAM)	●
User profiles	4
Automatic milk system cleaning	●
Cold Brew coffee preparation	●
Pre-programmed recipes	23
Cold Brew recipes	7
Touchscreen + touch control panel	●
Replaceable milk frothing nozzle	●

PERFORMANCE

Recommended maximum daily output	20 cups
Hourly output (DIN 18873-2)	
• espresso	30 cups
• americano	20 cups
• cappuccino	20 cups
• hot water	5l

SPECIFICATIONS

Display	Control panel + 2.4" touchscreen
Dimensions (W*H*D)	23,7*36*46,5cm
Dispensing height	8-13cm
Weight	10,5kg
Voltage/Power	220–240 V/1450 W



Format NOVA



30 cups

Recommended maximum daily output

FEATURED



Electrovalves



1 x grinder



2 x thermoblock



Milk coffees
one-touch



Cold Brew

INTENDED USE

small office

VERSIONS



NOVA 4L



NOVA W4L



BLACK

Excellent coffee taste and aroma create a strong first impression and influence how a space is perceived. **Format NOVA** is compact in size, yet equipped with professional-grade components that ensure perfect preparation of every favorite coffee specialty. This makes it an ideal choice for small offices and boutique spaces where high standards truly matter. Beyond functionality, design also plays a key role. Thanks to its ambient lighting and large display, **NOVA** makes a striking impression in any environment. As a result, it blends seamlessly into premium and modern office interiors.

CONFIGURATION

WATER CIRCULATION

Water tank capacity	4 l
Drip tray capacity	800 ml

BREWING/INSTANT

Grinder	1 × ceramic grinder
Brewer	7–16 g
Bean hopper capacity	800 g
Grounds container capacity	30 portions (at 10 g per portion)

FEATURED

Heating system	2 × thermoblock
Water distribution	solenoid valves
Number of pumps	1
Dedicated milk fridge required	No
Cold Brew	●

FUNCTIONS


Milk-based beverages (One Touch)	●
3 beverage sizes	●
Automatic milk system cleaning	●
Custom marketing content	●
Password protection	●
Menu access levels	3
Payment system compatible	●
IoT	●

PERFORMANCE

Recommended maximum daily output	30 cups
Hourly output (DIN 18873-2)	
• espresso	70 cups
• americano	50 cups
• cappuccino	50 cups
• hot water	15l

SPECIFICATIONS

Display	7" color touchscreen
Dimensions (W*H*D)	31*52*48cm
Dispensing height	7,5-15,5cm
Weight	14kg
Voltage/Power	220–240 V/1450 W



Format **SEED L**



30 cups

Recommended maximum daily output

FEATURED



1 x pump



Multivalve



2 x thermoblock



Glass front



Modern interface

INTENDED USE

home, small office

VERSIONS



SEED L



BLACK

Compact and modern – these are the two main features of this Format. The unique combination of glass and stainless steel finish, rarely seen in devices of this class, makes the **SEED L Format** surpass other coffee machines in its category in terms of quality.

CONFIGURATION

WATER CIRCULATION

Water tank capacity	2l
Drip tray capacity	1,2l

BREWING/INSTANT

Grinder	1 x ceramic burr grinder
Brewer	7-16g
Coffee bean hopper capacity	280g
Coffee grounds container capacity	about 15 servings (10g per serving)

FEATURED

Heating system	2 x thermoblock
Water distribution	multivalve
Number of pumps	1

FUNCTIONS


Milk coffees (one touch)	●
User profiles	9
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	—
Customized marketing content	●
Password protection	●
Access levels to the menu	1
Replaceable frothing nozzle tip	●

PERFORMANCE

Recommended maximum daily output	30 cups
Hourly output (DIN18873-2)	
▪ espresso	70 cups
▪ americano	50 cups
▪ cappuccino	50 cups
▪ hot water	15l

SPECIFICATIONS

Display	7" full-color, touchscreen
Dimensions (W*H*D)	26*46*43cm
Spout Height	8-14cm
Weight	14kg
Voltage/Power	220-240V/1500W



Format **BLOOM**



40 cups

Recommended maximum daily output

FEATURED



1 x pump



Multivalve



2 x thermoblock



Enlarged drip tray



Modern interface

INTENDED USE

home, office, small gastronomy

VERSIONS



BLOOM



BLACK

The **BLOOM Format** offers consistently high build quality and exceptional components, such as glass and steel, which are uncommon in this class of devices. Combined with a larger water tank and an enlarged drip tray, it creates a practical and ideal Format for black and milk coffee, perfect for small offices.

CONFIGURATION

WATER CIRCULATION

Water tank capacity	4l
Drip tray capacity	1,2l

BREWING/INSTANT

Grinder	1 x ceramic burr grinder
Brewer	7-16g
Coffee bean hopper capacity	280g
Coffee grounds container capacity	about 15 servings (10g per serving)

FEATURED

Heating system	2 x thermoblock
Water distribution	multivalve
Number of pumps	1

FUNCTIONS


Milk coffees (one touch)	●
User profiles	9
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	—
Customized marketing content	●
Password protection	●
Access levels to the menu	1
Replaceable frothing nozzle tip	●

PERFORMANCE

Recommended maximum daily output	40 cups
Hourly output (DIN18873-2)	
▪ espresso	70 cups
▪ americano	50 cups
▪ cappuccino	50 cups
▪ hot water	15l

SPECIFICATIONS

Display	7" full-color, touchscreen
Dimensions (W*H*D)	30*45*42cm
Spout Height	8-14cm
Weight	15kg
Voltage/Power	220-240V/1500W



Format FIT



100 cups

Recommended maximum daily output

FEATURED



2 x pump



Electrovalves



Boiler + thermoblock



Water inlet



Compact size

INTENDED USE

office, small gastronomy, hotel

VERSIONS



FIT W4L



FIT 4L

● BLACK

○ WHITE

The **FIT Format** combines compact dimensions with professional HoReCa solutions, delivering excellent quality in a small form. By integrating a boiler and a thermoblock, it precisely controls the temperature, ensuring perfect results. Its modern, minimalist design is complemented by a Retina Screen, making operation intuitive and enjoyable.

CONFIGURATION


WATER CIRCULATION	W4L	4L
Water tank capacity	4l	4l
Drip tray capacity	2l	2l
Mains water connection	●	—
Connection to the drainage system	—	—
Connection of external water tank	●	●

BREWING/INSTANT

Grinder	1 x ceramic burr grinder
Brewer	7-16g
Coffee bean hopper capacity	1000g
Coffee grounds container capacity	about 50 servings (10g per serving)

FEATURED

Heating system	1 x boiler + 1 x thermoblock
Water distribution	electrovalves
Number of pumps	2
Milk pump	—
Simultaneous serving of coffee and milk	●
Simultaneous serving of two cups of coffee	●
Maximum number of drinks on screen	3 x 7
Requirement for dedicated refrigerator for milk-based coffees	NO



FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	—
Customized marketing content	PHOTOS + VIDEO
Ability to serve two types of milk	—
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Lockable tanks	●
Payment system	○

PERFORMANCE

Recommended maximum daily output	100 cups
Hourly output (DIN18873-2)	
▪ espresso	70 cups
▪ americano	50 cups
▪ cappuccino	70 cups
▪ hot water	25l

SPECIFICATIONS

Display	7" full-color (Retina Screen, No fingerprint)
Dimensions (W*H*D)	28*52*48,5cm
Spout Height	8-16cm
Weight	15,5kg
Voltage/Power	220-240V/1500W

Format ATLAS



100 cups

Recommended maximum daily output

FEATURED



2 x pump



Multivalves



1 x grinder



2 x thermoblock



Milk coffees
one-touch

INTENDED USE

office, small gastronomy, hotel

VERSIONS



ATLAS W2L



ATLAS W8L



BLACK



SILVER

The main features of the **ATLAS Format** are the combination of modern design and functionality. With its double pump and two thermoblocks, it allows for the simultaneous preparation of coffee and milk, reducing waiting time.

CONFIGURATION


	W2L	W8L
WATER CIRCULATION		
Water tank capacity	2l	8l
Drip tray capacity	2l	2l
Mains water connection	●	●
Connection to the drainage system	●	●
Connection of external water tank	●	●

BREWING/INSTANT

Grinder	1 x ceramic burr grinder	
Brewer		7-16g
Coffee bean hopper capacity		1200g
Coffee grounds container capacity	about 70 servings (10g per serving)	

FEATURED

Heating system	2 x thermoblock	
Water distribution		multivalve
Number of pumps		2
Simultaneous serving of coffee and milk		●
Simultaneous serving of two cups of coffee		●
Requirement for dedicated refrigerator for milk-based coffees		NO



Possibility to install a smaller bean hopper.
Height of the hopper: 3cm (ok. 500g)

FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	—
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	with a dedicated refrigerator
Customized marketing content	●
Password protection	●
Access levels to the menu	1
Replaceable frothing nozzle tip	●

PERFORMANCE

Recommended maximum daily output	100 cups
Hourly output (DIN18873-2)	
▪ espresso	80 cups
▪ americano	80 cups
▪ cappuccino	80 cups
▪ hot water	25l

SPECIFICATIONS

	W2L	W8L
Display	7" full-color, touchscreen	7" full-color, touchscreen
Dimensions (W*H*D)	30*58*50cm	42*58*50cm
Spout Height	8-16cm	8-16cm
Weight	17,5kg	18kg
Voltage/Power	220-240V/2900W	220-240V/2900W
Water connection	Metal hose 1,5m (G3/4" on G3/8")	Metal hose 1,5m (G3/4" on G3/8")

Format **BREAK**



100 cups

Recommended maximum daily output

FEATURED



Electrovalves



1 x grinder



Milk shut-off valve



2 x thermoblock



Milk coffees
one-touch

INTENDED USE

office, gastronomy, hotel

VERSIONS



BREAK S W2L



BREAK S W8L



BLACK



SILVER



GRAY


The main features of the **BREAK Format** are its compact size and high performance. The LED backlighting combined with the ten-inch display gives the machine a modern look and allows it to seamlessly fit into any space.

CONFIGURATION

	W2L	W8L
WATER CIRCULATION		
Water tank capacity	2l	8l
Drip tray capacity	2l	2l
Mains water connection	●	●
Connection to the drainage system	●	●
Connection of external water tank	●	●

BREWING/INSTANT		
Grinder	1 x ceramic burr grinder	
Brewer		7-16g
Coffee bean hopper capacity		1200g
Coffee grounds container capacity	approx. 70 servings (10g per serving)	
Possibility to dispose of coffee grounds		●

FEATURED		
Heating system	2 x thermoblock	
Water distribution	electrovalves	
Number of pumps		1
Simultaneous serving of coffee and milk		—
Simultaneous serving of two cups of coffee		●
Maximum number of drinks on screen		3 x 7
Requirement for dedicated refrigerator for milk-based coffees		NO



 Possibility to install a smaller bean hopper. Height of the hopper: 3cm (ok. 500g)

Display	10,1" full-color, touchscreen	
Dimensions (W*H*D)	30*58*50cm	42*58*50cm
Spout Height	6-14cm	6-14cm
Weight	19kg	20,5kg
Voltage/Power	220-240V/1500W	
Water connection	Metal hose 1,5m (G3/4" on G3/8")	

FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	●
Customized marketing content	●
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Payment system	○

PERFORMANCE

Recommended maximum daily output	100 cups
Hourly output (DIN18873-2)	
▪ espresso	70 cups
▪ americano	50 cups
▪ cappuccino	50 cups
▪ hot water	15l

SPECIFICATIONS

	W2L	W8L
Display	10,1" full-color, touchscreen	10,1" full-color, touchscreen
Dimensions (W*H*D)	30*58*50cm	42*58*50cm
Spout Height	6-14cm	6-14cm
Weight	19kg	20,5kg
Voltage/Power	220-240V/1500W	
Water connection	Metal hose 1,5m (G3/4" on G3/8")	

Format DUKE



100 cups

Recommended maximum daily output

FEATURED



2 x pump



Electrovalves



Milk shut-off valve



2 x thermoblock



Steel finish

INTENDED USE

office, gastronomy, hotel

VERSIONS



DUKE W2L



DUKE W8L




CHROME

DUKE is one of the fastest Formats on the market, combining modern design with high functionality. Its striking screen backlighting gives it a unique style. It offers over 20 beverages available at the touch of a button.

CONFIGURATION

	W2L	W8L
WATER CIRCULATION		
Water tank capacity	2l	8l
Drip tray capacity	2l	2l
Mains water connection	●	●
Connection to the drainage system	●	●
Connection of external water tank	●	●
BREWING/INSTANT		
Grinder	1 x ceramic burr grinder	
Brewer		7-16g
Coffee bean hopper capacity		1200g
Coffee grounds container capacity	approx. 70 servings (10g per serving)	
Possibility to dispose of coffee grounds		●
FEATURED		
Heating system	2 x thermoblock	
Water distribution	electrovalves	
Number of pumps		2
Simultaneous serving of coffee and milk		●
Simultaneous serving of two cups of coffee		●
Maximum number of drinks on screen		3 x 7
Requirement for dedicated refrigerator for milk-based coffees		NO



Possibility to install a smaller bean hopper.
Height of the hopper: 3cm (ok. 500g)

Display	10,1" full-color, touchscreen
Dimensions (W*H*D)	30*58*50cm
Spout Height	8-16cm
Weight	19kg
Voltage/Power	220-240V/2900W
Water connection	Metal hose 1,5m (G3/4" on G3/8")

FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	●
Customized marketing content	●
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Payment system	○


PERFORMANCE

Recommended maximum daily output Hourly output (DIN18873-2)	100 cups
▪ espresso	85 cups
▪ americano	75 cups
▪ cappuccino	65 cups
▪ hot water	15l

SPECIFICATIONS

	W2L	W8L
Display	10,1" full-color, touchscreen	10,1" full-color, touchscreen
Dimensions (W*H*D)	30*58*50cm	42*58*50cm
Spout Height	8-16cm	8-16cm
Weight	19kg	20,5kg
Voltage/Power	220-240V/2900W	220-240V/2900W
Water connection	Metal hose 1,5m (G3/4" on G3/8")	Metal hose 1,5m (G3/4" on G3/8")

HORECA



HORECA

Intended use: hotel, restaurant, cafeteria, large office

DEMY W4LM



DEMY W4LM



GROW MP



GROW MP M



GROW MP W6LM



ZONE



ZONE



DOUBLE



DOUBLE



+ POTT 12



+ DOUBLE INSTANT



+ POTT 12
+ DOUBLE INSTANT

Format DEMY



200 cups

Recommended maximum daily output

FEATURED



2 x boiler



1 x grinder



Instant (1,2l)



Large bean hopper



Comfortable
touchscreen display

INTENDED USE

hotel, restaurant, cafeteria, large office

VERSIONS



DEMY W4LM



BLACK

The **DEMY Format** combines performance, elegance and functionality. Its instant product container and separate hot water spout allow for an extended range of beverages, including tea and hot chocolate.

CONFIGURATION

WATER CIRCULATION


Water tank capacity	4l
Drip tray capacity	1,5l
Mains water connection	●
Connection to the drainage system	●
Connection of external water tank	●

BREWING/INSTANT

Grinder	2 x ceramic burr grinder
Brewer	7-21g
Coffee bean hopper capacity	1500g
Coffee grounds container capacity	approx. 70 servings (10g per serving)
Possibility to dispose of coffee grounds	●
Instant containers	1,2l

FEATURED

Heating system	2 x boiler
Water distribution	electrovalves
Number of pumps	2
Separate hot water spout	●
Simultaneous serving of coffee and milk	●
Simultaneous serving of two cups of coffee	○
Maximum number of drinks on screen	3 x 7
Requirement for dedicated refrigerator for milk-based coffees	NO



FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	●
Customized marketing content	●
Ability to serve two types of milk	●
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Lockable tanks	●
Payment system	●

PERFORMANCE

Recommended maximum daily output	200 cups
Hourly output (DIN18873-2)	
▪ espresso	100 cups
▪ americano	80 cups
▪ cappuccino	80 cups
▪ hot water	30l

SPECIFICATIONS

Display	10,1" full-color, touchscreen
Dimensions (W*H*D)	34*62*55cm
Spout Height	8-18cm
Weight	25,5kg
Voltage/Power	220-240V/2900W
Water connection	Metal hose 1,5m (G3/4" on G3/8")

Format ZONE



200 cups

Recommended maximum daily output

FEATURED



2 x boiler



1 x grinder



2 x instant



1 x bean hopper



2 x pump

INTENDED USE

hotel, restaurant, cafeteria, large office

VERSIONS



ZONE



BLACK

The **ZONE Format** is equipped with two large boilers, an efficient grinder and two instant containers. Combined with two pumps, this Format ensures high performance while maintaining the perfect aroma of your favorite coffee specialties.

CONFIGURATION

WATER CIRCULATION


Water tank capacity	4l
Drip tray capacity	1,5l
Mains water connection	●
Connection to the drainage system	●
Connection of external water tank	●

BREWING/INSTANT

Grinder	1 x ceramic burr grinder
Brewer	steel 7-21g
Coffee bean hopper capacity	1200g
Coffee grounds container capacity	approx. 70 servings (10g per serving)
Possibility to dispose of coffee grounds	●
Instant containers	1,2l + 1l

FEATURED

Heating system	2 x boiler
Water distribution	electrovalves
Number of pumps	2
Separate hot water spout	●
Simultaneous serving of coffee and milk	●
Simultaneous serving of two cups of coffee	●
Maximum number of drinks on screen	3 x 7
Requirement for dedicated refrigerator for milk-based coffees	NO



FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	●
Customized marketing content	●
Ability to serve two types of milk	●
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Lockable tanks	●
Payment system	●

PERFORMANCE

Recommended maximum daily output	200 cups
Hourly output (DIN18873-2)	
▪ espresso	100 cups
▪ americano	80 cups
▪ cappuccino	80 cups
▪ hot water	30l

SPECIFICATIONS

Display	10,1" full-color (Retina Screen, No fingerprint)
Dimensions (W*H*D)	34*62*55cm
Spout Height	8-17cm
Weight	25kg
Voltage/Power	220-240V/2900W
Water connection	Metal hose 1,5m (G3/4" on G3/8")

Format GROW



200 cups

Recommended maximum daily output

FEATURED



Milk pump



2 x grinder



2 x bean hopper



2 x instant



Option to install
an under-counter
refrigerator

INTENDED USE

hotel, restaurant, cafeteria, large office

VERSIONS



GROW MP M



GROW MP W6LM



BLACK

The **GROW Format** is a reliable, fast and efficient coffee machine, perfectly suited for high-traffic areas. It offers two instant beverages, such as chocolate and soy milk or another drink. Thanks to its unique features, it is an excellent choice for self-service Coffee Spots.

CONFIGURATION


	M	W6LM
WATER CIRCULATION		
Water tank capacity	—	6l
Drip tray capacity	2l	2l
Mains water connection	●	●
Connection to the drainage system	●	●
Connection of external water tank	●	●

BREWING/INSTANT

Grinder	2 x ceramic burr grinder	
Brewer	steel 7-21g	
Coffee bean hopper capacity	2 x 700g	
Coffee grounds container capacity	approx. 70 servings (10g per serving)	
Possibility to dispose of coffee grounds	●	
Instant containers	2 x 1,8l	

FEATURED

Heating system	2 x boiler	
Water distribution	electrovalves	
Number of pumps	2	
Separate hot water spout	●	
Milk pump	●	
Simultaneous serving of coffee and milk	●	
Simultaneous serving of two cups of coffee	●	
Cold milk frothing function	●	
Maximum number of drinks on screen	3 x 7	
Requirement for dedicated refrigerator for milk-based coffees	NO	



FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Drink settings adjustment during dispensing	●
Automatic frother cleaning	●
Milk frother rinsing without operator	●
Customized marketing content	●
Ability to serve two types of milk	●
Password protection	●
Access levels to the menu	3
Replaceable frothing nozzle tip	●
Lockable tanks	●
Option to install an under-counter refrigerator	●
Payment system	●

PERFORMANCE

Recommended maximum daily output	200 cups
Hourly output (DIN18873-2)	
▪ espresso	100 cups
▪ americano	80 cups
▪ cappuccino	80 cups
▪ hot water	30l

SPECIFICATIONS

Display	10,1" full-color (Retina Screen, No fingerprint)	
Dimensions (W*H*D)	M: 30,5*66*54cm W6LM: 41*66*54cm	
Spout Height	8-17cm	
Weight	M: 27kg W6LM: 30kg	
Voltage/Power	220-240V/2900W	
Water connection	Metal hose 1,5m (G3/4" on G3/8")	

Format DOUBLE



300 cups

Recommended maximum daily output

FEATURED



Cold milk foam



Milk pump



2 x grinder



2 x bean hopper



3 x instant

INTENDED USE

hotel, restaurant, cafeteria, large office

VERSIONS



BLACK



DOUBLE



+ POTT 12



+ DOUBLE INSTANT



+ POTT 12
+ DOUBLE INSTANT

The **DOUBLE Format** is a modular coffee machine that can optionally work with an instant module and a dedicated refrigerator. This Format has a performance of up to 300 cups per day. The built-in milk pump allows for the preparation of very thick cold or warm milk foam.

CONFIGURATION

WATER CIRCULATION


Water tank capacity	4l
Drip tray capacity	1,5l
Mains water connection	●
Connection to the drainage system	●
Connection of external water tank	●

BREWING/INSTANT

Grinder	2 x ceramic grinder (flat burr)
Brewer	steel 7-21g
Coffee bean hopper capacity	2 x 700g
Coffee grounds container capacity	approx. 70 servings (10g per serving)
Possibility to dispose of coffee grounds	●
Instant containers	2l + 2 x 1,5l

FEATURED

Heating system	2 x thermoblock + 1 x boiler + *1 x boiler
Water distribution	electrovalves
Number of pumps	2 + **1
Separate hot water spout	●
Milk pump	●
Simultaneous serving of coffee and milk	●
Cold milk frothing function	●
Maximum number of drinks on screen	3 x 7
Requirement for dedicated refrigerator for milk-based coffees	NO



FUNCTIONS

Milk coffees (one touch)	●
3 beverage sizes	●
Automatic frother cleaning	●
Drink settings adjustment during dispensing	●
Milk frother rinsing without operator	●
Customized marketing content	●
Ability to serve two types of milk	●
Password protection	●
Access levels to the menu	3
Lockable tanks	●
Option to install an under-counter refrigerator	●
Payment system	●

PERFORMANCE

Recommended maximum daily output	300 cups
Hourly output (DIN18873-2)	
▪ espresso	100 cups
▪ americano	80 cups
▪ cappuccino	80 cups
▪ hot water	30l

SPECIFICATIONS

Display	10,1" full-color, touchscreen
Dimensions (W*H*D)	31*66*56cm
Spout Height	8-18cm
Weight	34kg
Voltage/Power	230V/2850W (+2000W Instant Module)
Water connection	Metal hose 1,5m (G3/4" on G3/8")

*additional boiler in Double Instant Module

**additional pump in Double Instant Module

ACCESSORIES



ACCESSORIES

POTT 7 A / B



POTT 7 A



POTT 7 B

BR9CI



BR9CI

COMPATIBLE WITH THE FORMAT:

- ATLAS

POTT 12

PREMIUM



POTT 12

COMPATIBLE WITH THE FORMAT:

- DOUBLE

POTT 9



POTT 9

SC08

PREMIUM



SC08

RTD3 MODULE



RTD3

POTT 8

PREMIUM



POTT 8

SC12

PREMIUM



SC12

COMPATIBLE WITH THE FORMAT:

- DEMY
- ZONE
- GROW
- DOUBLE

POTT 10

PREMIUM



POTT 10

SC12T

(2 types of milk) **PREMIUM +**



SC12T

COMPATIBLE WITH THE FORMAT:

- DEMY
- ZONE
- GROW
- DOUBLE



For the proper functioning of the frothing system in automatic coffee machines, it is required to keep the milk at a temperature of approximately 4°C.



Refrigerator **POTT 7** **A/B**

FEATURED



Compact size



Refrigerator with
compressor



Temperature
control

CLASS: STANDARD



Refrigerator **POTT 9**

FEATURED



Illuminated
interior



Refrigerator with
compressor




Temperature control
from the touch panel

CLASS: STANDARD


SPECIFICATIONS

Capacity	9l
Temperature range	0°C~4°C
Dimensions (W*H*D)	22*37,6*45cm
Internal dimensions (W*H*D)	16*28*19cm
Voltage	220-240V
Frequency	50/60Hz
Weight	12kg



SPECIFICATIONS

Capacity	9l
Temperature range	0°C~4°C
Dimensions (W*H*D)	22*45,6*45cm
Internal dimensions (W*H*D)	16*28*19cm
Voltage	220-240V
Frequency	50/60Hz
Weight	13kg





Refrigerator **POTT 8**

FEATURED



Milk container 4,5l



Refrigerator with
compressor



Temperature
control



Milk presence sensor




Milk temperature
sensor

CLASS: **PREMIUM**

SPECIFICATIONS

Capacity	13l
Temperature range	0°C~4°C
Dimensions (W*H*D)	24*47,5*45cm
Internal dimensions (W*H*D)	18*17*27cm
Voltage	220-240V
Frequency	50/60Hz
Weight	16kg



Refrigerator **POTT 10**

FEATURED



Milk container 4,5l



Refrigerator with
compressor




Temperature
control

CLASS: **PREMIUM**

SPECIFICATIONS

Capacity	8l
Temperature range	0°C~4°C
Dimensions (W*H*D)	22*39,5*38,5cm
Internal dimensions (W*H*D)	15*28,6*15,3cm
Voltage	220-240V
Frequency	50/60Hz
Weight	12,5kg





Refrigerator **BR9CI**

FEATURED



Dedicated to
ATLAS Format



Refrigerator with
compressor



Glass front



Allows you to rinse
of the milk system
without an operator

CLASS: STANDARD



Refrigerator **SC08**

FEATURED



Milk container 3,5l



Refrigerator with
compressor




Glass front

CLASS: **PREMIUM**


SPECIFICATIONS

Capacity	9l
Temperature range	1°C~5°C
Dimensions (W*H*D)	22*51,3*45,7cm
Internal dimensions (W*H*D)	16*28*19cm
Voltage	220-240V
Frequency	50/60Hz
Weight	20kg



SPECIFICATIONS

Capacity	8l
Temperature range	1°C~5°C
Dimensions (W*H*D)	24*47,2*47cm
Internal dimensions (W*H*D)	15*28,6*15,3cm
Voltage	220-240V
Frequency	50/60Hz
Weight	12kg





Refrigerator SC12

FEATURED



Refrigerator with
compressor



Milk level
warning



Communication
with the coffee
machine




Milk container 10l

CLASS: **PREMIUM**

SPECIFICATIONS

Capacity	16l
Temperature range	1°C~5°C
Dimensions (W*H*D)	30*53*42cm
Internal dimensions (W*H*D)	22,5*28,5*32,5cm
Voltage	220-240V
Frequency	50/60Hz
Weight	17kg



Refrigerator SC12T

FEATURED




2 types of milk



Refrigerator with
compressor



Milk level
warning



Communication
with the coffee
machine





2 x milk
container 4l

CLASS: **PREMIUM +**

SPECIFICATIONS

Capacity	14l
Temperature range	1°C~5°C
Dimensions (W*H*D)	30*53*42cm
Internal dimensions (W*H*D)	22,5*28,5*32,5cm
Voltage	220-240V
Frequency	50/60Hz
Weight	18kg





Refrigerator **POTT 12**

FEATURED




Milk container 4,5l



Milk presence sensor



Milk temperature sensor




Communication with the coffee machine

CLASS: **PREMIUM**

SPECIFICATIONS

Capacity	12l
Temperature range	1°C~5°C
Dimensions (W*H*D)	24*61*42cm
Internal dimensions (W*H*D)	17*28*28,5cm
Voltage	220-240V
Frequency	50/65Hz
Weight	14kg



Cup warmer **RTD3 MODULE**

FEATURED




3 x heating shelves



Color-changing lighting

SPECIFICATIONS

Dimensions (S*W*G)	32*47*42cm
Shelf dimensions (S*G)	28,5*38cm
Voltage	220-240V/75W
Weight	14,6kg



COFFEE MUGS

20+ Designs



350ml

Stainless steel

Thermal insulation


**CERAMIC
FINISH**

UNIQUE DESIGN

Each Coffee Mug has its **own artistic design**, making it more than just a practical item - it becomes a unique expression of your personal style.

Original patterns and carefully crafted details give it a distinctive artistic character and a refined aesthetic appeal.



CLEANING AGENTS



PRO PROFESSIONAL CLEANING AGENTS

BREWING UNIT MAINTENANCE



DAILY TAB FORMAT 2 PRO

Number of tablets: 100
Tablet weight: 2g
Description: Tablets designed for brewer maintenance.



POWDER FORMAT PRO

Amount of powder: 1000g
Cycle: about 3g (for portafilter espresso machines)
Description: Powder designed for maintaining the brewing group in portafilter coffee machines.

MILK FROTHING SYSTEM MAINTENANCE



MILK FORMAT YELLOW PRO

Quantity: 1000ml
Cycles: Minimum 20 (for 0,5l solution)
Formula: Alkaline Yellow
Description: Alkaline liquid for cleaning milk systems.



MILK FORMAT BLUE PRO

Quantity: 1000ml
Cycles: Minimum 20 (for 0,5l solution)
Formula: Acid Blue
Description: Acidic liquid for cleaning milk systems.



MILK TAB FORMAT PRO

Number of tablets: 25
Tablet weight: 15g
Description: Tablets for cleaning milk systems.
One tablet is sufficient for 500ml of solution.

DAILY CLEANING



CLEANER PRO

Quantity: 500ml
Formula: Spray
Description: Spray for cleaning coffee machines inside and outside.

DESCALING PROCESS



DESCALER FORMAT PRO

Quantity: 1000ml
Cycles: Minimum 8 (for 0,5l solution)
Formula: Concentrated | Color indicator
Description: Descaling agent for coffee machines.



DESCALER TAB FORMAT PRO

Number of tablets: 25
Tablet weight: 16g
Description: Professional descaling tablets.

Jedna tabletką wystarczy na 500 ml roztworu.



FAST POWDER DESCALER PRO

Powder quantity: 1000g
Formula: Highly concentrated
Description: Highly concentrated descaling powder.
Warning: Do not use in enclosed tanks.

COFFEE GRINDERS



GRINDER CLEANER PRO

Powder quantity: 480g
Cycles: Minimum 12
Description: Powder designed for cleaning coffee grinders.

PRO SERVICE



MILK FORMAT BLUE PRO SERVICE

Quantity: 5000ml
Cycles: Minimum 100 (for 0,5l solution)
Formula: Acid Blue



DESCALER PRO SERVICE

Quantity: 5000ml
Cycles: Minimum 50 (for 0,5l solution)
Formula: Concentrated

UNIVERSAL CLEANING AGENTS

BREWER TABLETS

Tablets designed for cleaning the coffee brewer, suitable for most coffee machines. For more details, refer to the brochure and packaging.



CLEANING TABS +
10 tablets x 1,6g/2g/2,5g/3,2g



2-PHASE CLEANING TABS +
14 tablets x 3,5g | 40 tablets x 3,5g

MILK SYSTEM

A tablet or liquid detergent designed to clean the milk system.



MILK TAB CLEAN +
6 tablets x 15g
One tablet is sufficient for 500 ml of solution.



MILK CLEAN +
250 ml



MILK CLEAN +
500 ml

DESCALING

A tablet or liquid detergent designed for descaling of coffee machines.



DESCALER TAB +
6 tablets
3-layers x 16g

One tablet is sufficient for 500 ml of solution.



DESCALER +
1000ml



DESCALER ECO
500ml



CAPSULE COFFEE MACHINES

Product designed for brewing units in capsule coffee machines.



CLEANING CAPSULE +
4 capsules x 2g



GRINDER CLEANER +
2 sachets x 15g

WATER FILTERS



CF-01



CF-02



CF-03



CF-04



CF-05



For more information, see the dedicated brochure
Coffee Format+



COFFEE GRINDERS

Sachets dedicated for the maintenance of coffee grinders.

	MINI	NOVA	SEED L	BLOOM	FIT
Recommended maximum daily capacity Hourly capacity (DIN18873-2)	20 cups	30 cups	30 cups	40 cups	100 cups
▪ espresso	30 cups	70 cups	70 cups	70 cups	70 cups
▪ americano	20 cups	50 cups	50 cups	50 cups	50 cups
▪ cappuccino	20 cups	50 cups	50 cups	50 cups	70 cups
▪ hot water	5l	15l	15l	15l	25l
Water tank capacity	1,4l	4l	2l	4l	4l
Drip tray capacity	800ml	800ml	1,2l	1,2l	2l
Mains water connection	—	W4L: ● / 4L: —	—	—	W4L: ● / 4L: —
Connection to the drainage system	—	—	—	—	—
Connection of external water tank	—	—	—	—	●
Grinder	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)
Brewer	7-16g	7-16g	7-16g	7-16g	7-16g
Bean hopper capacity	150g	800g	280g	280g	1000g
Capacity of the grounds container	*about 10 servings	*about 30 servings	*about 15 servings	*about 15 servings	*about 50 servings
Possibility to dispose of coffee grounds	—	—	—	—	—
Instant containers	—	—	—	—	—
Heating system	1 x thermoblock	2 x thermoblock	2 x thermoblock	2 x thermoblock	1 x boiler + 1 x thermoblock
Water distribution	electrovalves	electrovalves	multivalve	multivalve	electrovalves
Number of pumps	1	1	1	1	2
Separate hot water spout	—	—	—	—	—
Milk pump	—	—	—	—	—
Simultaneous serving of coffee and milk	—	—	—	—	●
Cold milk frothing function	—	—	—	—	—
Requirement for dedicated refrigerator for milk-based coffees	No	No	NO	NO	NO
Milk coffees (one touch)	●	●	●	●	●
3 beverage sizes	(4 user profiles)	●	(9 user profiles)	(9 user profiles)	●
Drink settings adjustment during dispensing	●	●	●	●	●
Milk frother rinsing without operator	●	●	●	●	●
Rinsing the frother without an operator	—	—	—	—	—
Customized marketing content	●	●	●	●	PHOTOS + VIDEOS
Ability to serve two types of milk	—	—	—	—	—
Access levels to the menu	1	3	1	1	3
Replaceable frothing nozzle tip	●	●	●	●	●
Lockable tanks	—	—	—	—	●
Option to install an under-counter refrigerator	—	—	—	—	—
Payment system	—	—	—	—	○
Display	2,4" color touchscreen	7" color touchscreen	7" full-color, touchscreen	7" full-color, touchscreen	7" full-color (Retina Screen, No Fingerprint)
Dimensions (W*H*D)	23,7x46,5x36cm	31x48,5x52cm	26*46*43cm	30*45*42cm	28*52*48,5cm
Spout height	8-13cm	7,5-15,5cm	8-14cm	8-14cm	8-16cm
Weight	10,5kg	14kg	14kg	15kg	15,5kg
Voltage/power	220V-240V/1450W	220V-240V/1450W	220V-240V/1500W	220V-240V/1500W	220V-240V/1500W
*(At 10g/portion) **Additional boiler in the Double Instant module ***Additional pump in the Double Instant module					

ATLAS	BREAK	DUKE	DEMY	ZONE	GROW	DOUBLE
100 cups	100 cups	100 cups	200 cups	200 cups	200 cups	300 cups
80 cups	70 cups	85 cups	100 cups	100 cups	100 cups	100 cups
80 cups	50 cups	75 cups	80 cups	80 cups	80 cups	80 cups
80 cups	50 cups	65 cups	80 cups	80 cups	80 cups	80 cups
25l	15l	15l	30l	30l	30l	30l
W2L: 2l / W8L: 8l	W2L: 2l / W8L: 8l	W2L: 2l / W8L: 8l	4l	4l	M: - / W6LM: 6l	4l
2l	2l	2l	1,5l	1,5l	2l	1,5l
●	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	1 x ceramic grinder (flat burr)	2 x ceramic grinder (flat burr)	2 x ceramic grinder (flat burr)
7-16g	7-16g	7-16g	steel 7-21g	steel 7-21g	steel 7-21g	steel 7-21g
1200g	1200g	1200g	1500g	1200g	2 x 700g	2 x 700g
*about 70 servings	*about 70 servings	*about 70 servings	*about 70 servings	*about 70 servings	*about 70 servings	*about 70 servings
—	●	●	●	●	●	—
—	—	—	1,2l	1,2l + 1l	2 x 1,8l	2l + 2 x 1,5l
2 x thermoblock	2 x thermoblock	2 x thermoblock	2 x boiler	2 x boiler	2 x boiler	2 x thermoblock + 1 x boiler + **1 x boiler
multivalve	electrovalves	electrovalves	electrovalves	electrovalves	electrovalves	electrovalves
2	1	2	2	2	2	2 + ***1
—	—	—	●	●	●	●
—	—	—	—	—	●	●
●	—	●	●	●	●	●
—	—	—	—	—	●	●
NO	NO	NO	NO	NO	NO	NO
●	●	●	●	●	●	●
—	●	●	●	●	●	●
●	●	●	●	●	●	●
●	●	●	●	●	●	●
with a dedicated fridge	●	●	●	●	●	●
●	●	●	●	●	●	●
—	—	—	●	●	●	●
1	3	3	3	3	3	3
●	●	●	●	●	●	—
—	—	—	●	●	●	●
—	—	—	—	—	●	●
—	○	○	●	●	●	●
7" full-color, touchscreen	10,1" full-color, touchscreen	10,1" full-color, touchscreen	10,1" full-color, touchscreen	10,1" full-color (Retina Screen, No Fingerprint)	10,1" full-color (Retina Screen, No Fingerprint)	10,1" full-color, touchscreen
W2L: 30*58*50cm W8L: 42*58*50cm	W2L: 30*58*50cm W8L: 42*58*50cm	W2L: 30*58*50cm W8L: 42*58*50cm	34*62*55cm	34*62*55cm	41*66*54cm	31*66*56cm
8-16cm	6-14cm	8-16cm	8-18cm	8-17cm	8-17cm	8-18cm
W2L: 17,5kg W8L: 18kg	W2L: 19kg W8L: 20,5kg	W2L: 19kg W8L: 20,5kg	25,5kg	25kg	30kg	34kg
220V-240V/2900W	220V-240V/1500W	220V-240V/2900W	220V-240V/2900W	220V-240V/2900W	220V-240V/2900W	230V/2850W (+2000W Instant)

SOCIAL MEDIA




COFFEE FORMAT®

e-mail: biuro@aquasolution.pl

phone: 12 201 86 96

address: Piekary 371, 32-060 Piekary,
Poland

www.coffeeformat.pl







www.coffeeformat.pl

16/06/26